=> IFW: Scan as Doc Code: SRNT <= Doc Date:

TC 3700 Inventor Search Program

See attached inventor searches for applications and/or patents to help resolve questions of overlapping subject matter. These searches are provided as an initial examination aid: examiners should perform updated or expanded PALM or EAST inventors searches as appropriate.

Serial Number: 101675,932

1.) See <u>attached</u> printout of inventors listed in PALM

2.) See <u>attached</u> EAST Inventor Search Printout shows Inventor search terms

PALM INTRANET

Day: Tuesday Date: 4/11/2006

Time: 13:15:04

Inventor Information for 10/675932

| Inventor Name | City | State/Country |
|--|--|---------------------|
| TOCKMAN, BRUCE A. | SCANDIA | MINNESOTA |
| VANDEPUTTE, FRANK | HOEILAART | BELGIUM |
| SRIVATHSA, MURALIDHARAN | SHOREVIEW | MINNESOTA |
| WESTLUND, RANDY | MINNEAPOLIS | MINNESOTA |
| Apple Info Contents Petition Info Search Another: Application# | Atty/Agent Info Continuit Search or Patent# | / Data Foreign Data |
| PCT / | or PG PUBS # | Search |
| Attorney Docket # | Search | |
| Bar Code # | Search | |

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page

| US 20060047333 A1 | US-PGPUB | 20060302 | 17 | Sensor guided epicardial lead | 607/127 | 607/131 | Tockman; Bruce A. et al. |
|-------------------|----------|----------|----|--|---------|---------|----------------------------------|
| US 20050202703 A1 | US-PGPUB | 20050915 | | Multi-polar connector | 439/188 | | Westlund, Randy et al. |
| US 20050159725 A1 | US-PGPUB | 20050721 | | Method for manipulating an adjustable shape guide catheter | 604/500 | 604/523 | Tockman, Bruce et al. |
| US 20050137674 A1 | US-PGPUB | 20050623 | | Distal or proximal fixation of over-the-tether myocardial leads | 607/130 | | Coe, M. Sean et al. |
| US 20050137672 A1 | US-PGPUB | 20050623 | | Myocardial lead | 607/126 | 607/122 | Coe, M. Sean et al. |
| US 20050137671 A1 | US-PGPUB | 20050623 | | His bundle mapping, pacing, and injection method and lead | 607/122 | | Liu, Lili et al. |
| US 20050131511 A1 | US-PGPUB | 20050616 | | Cardiac lead having coated fixation arrangement | 607/126 | | Westlund, Randy |
| US 20050119718 A1 | US-PGPUB | 20050602 | | Absorbable myocardial lead fixation system | 607/130 | | Coe, M. Sean et al. |
| US 20050113901 A1 | US-PGPUB | 20050526 | | Myocardial lead attachment system | 607/130 | | Coe, M. Sean et al. |
| US 20050113900 A1 | US-PGPUB | 20050526 | | Myocardial lead with fixation mechanism | 607/130 | | Shiroff, Jason Alan et al. |
| US 20050090883 A1 | US-PGPUB | 20050428 | | Seal for use with medical device and system | 607/116 | | Westlund, Randy et al. |
| US 20050085885 A1 | US-PGPUB | 20050421 | | Expandable seal for use | 607/122 | 607/127 | Janke, Aaron W. |

| | | | with medical | | | et al. |
|-------------------|----------|----------------------|--------------------------------|---------|---------|-------------------|
| | | | device and | | | |
| US 20050080470 A1 | US-PGPUB | 20050414 | system Intramyocardial | 607/119 | | Westlund, |
| US 20030080470 A1 | US-PGPUB | 20030414 | lead | 007/119 | | Randy et |
| | | | implantation | | | al. |
| | | | system and | | | |
| | | | method | | | |
| US 20050070986 A1 | US-PGPUB | 20050331 | Guide wire | 607/122 | | Tockman, Bruce A. |
| | | | stylet | | | et al. |
| US 20050049510 A1 | US-PGPUB | 20050303 | Method and | 600/483 | | Haldeman, |
| | | | apparatus for | | | Paul Craig |
| | | | catheterization | | | et al. |
| | | | by detecting | | | |
| | | | signals indicating | | | |
| | | | proximity to | 1 | | |
| | | | anatomical | | | |
| | | | features | | | |
| US 20050027343 A1 | US-PGPUB | 20050203 | Modified | 607/122 | 607/116 | Westlund, |
| | | | guidewire for left ventricular | | | Randy W. et al. |
| | | | access lead | | | |
| US 20040215306 A1 | US-PGPUB | 20041028 | Implantable | 607/122 | | Heil, |
| | | , | lead with | | | Ronald W. |
| | | | dissolvable | | | JR. et al. |
| | | | coating for improved | | | |
| | | | fixation and | | | |
| | | | extraction | | | |
| US 20040153098 A1 | DERWENT | 1 | | | | Chin, |
| | | Contact help desk | | | | Albert K. et al. |
| US 20040147993 A1 | DERWENT | N/A, | | | | Westlund, |
| | | Contact | | | | Randy et |
| | | help desk | | | | al. |
| US 20040122499 A1 | US-PGPUB | 20040624 | Coronary vein | 607/122 | | Westlund, |
| | | | lead having combination | | | Randy |
| | | | fixation | | | |
| | | | features with | | | |
| | | | lumen | | | |
| | | | restriction and | | | |
| | | | method therefor | | | |
| | L | l | meretor | | | <u> </u> |

| US 20040093052 A1 | US-PGPUB | 20040513 | Multi-polar connector | 607/116 | | Westlund, Randy et al. |
|-------------------|----------|----------|--|------------|---------------------|-------------------------------|
| US 20040082986 A1 | US-PGPUB | 20040429 | Unitary medical electrical lead and methods for making and using same | 607/122 | | Westlund, Randy et al. |
| US 20040049158 A1 | US-PGPUB | 20040311 | Hemostasis valve for use with a left ventricular pacing lead | 604/167.03 | 606/129 | Ley, Gregory R. et al. |
| US 20040039371 A1 | US-PGPUB | 20040226 | Coronary vein navigator | 604/528 | 600/434; 606/129 | Tockman, Bruce et al. |
| US 20030212373 A1 | US-PGPUB | 20031113 | Peel-away sheath | 604/263 | | Hall, Jeffrey A. et al. |
| US 20030195603 A1 | US-PGPUB | 20031016 | Leads for pacing and/or sensing the heart from within the coronary veins | 607/122 | 607/125; 607/126 | Scheiner, Avram et al. |
| US 20030109914 A1 | US-PGPUB | 20030612 | Coronary vein leads having an atraumatic TIP and method therefor | 607/122 | | Westlund, Randy et al. |
| US 20030105506 A1 | US-PGPUB | 20030605 | Apparatus and method for stabilizing an implantable lead | 607/126 | | Krishnan, Mohan et al. |
| US 20030105451 A1 | US-PGPUB | 20030605 | Adjustable length catheter assembly | 604/532 | 604/165.01 | Westlund, Randy et al. |
| US 20030036779 A1 | US-PGPUB | 20030220 | Multi-polar connector | 607/37 | | Westlund, Randy et al. |
| US 20020188278 A1 | US-PGPUB | 20021212 | Method and apparatus for an adjustable shape guide | 604/527 | | Tockman, Bruce et al. |

| | | | catheter | | | |
|-------------------|----------|----------|--|------------|---------------------|-----------------------------------|
| US 20020107551 A1 | US-PGPUB | 20020808 | Pacing and sensing vectors | 607/9 | | Stahmann, Jeffrey E. et al. |
| US 20020082651 A1 | US-PGPUB | 20020627 | Pacing and sensing vectors | 607/9 | | Stahmann, Jeffrey E. et al. |
| US 20020077686 A1 | US-PGPUB | 20020620 | Modified guidewire for left ventricular access lead | 607/119 | | Westlund, Randy W. et al. |
| US 20020077683 A1 | US-PGPUB | 20020620 | Seal for use with medical device and system | 607/116 | | Westlund, Randy et al. |
| US 20020045926 A1 | US-PGPUB | 20020418 | Implantable lead with dissolvable coating for improved fixation and extraction | 607/116 | | Heil, Ronald W. JR. et al. |
| US 20020016622 A1 | US-PGPUB | 20020207 | Expandable seal for use with medical device and system | 607/116 | | Janke, Aaron W. et al. |
| US 7013181 B2 | USPAT | 20060314 | Coronary vein lead having combination fixation features with lumen restriction and method therefor | 607/120 | 604/256; 607/128 | Westlund; Randy |
| US 6961621 B2 | USPAT | 20051101 | Apparatus and method for stabilizing an implantable lead | 607/126 | | Krishnan; Mohan et al. |
| US 6939327 B2 | USPAT | 20050906 | Peel-away sheath | 604/164.05 | 604/160 | Hall; Jeffrey A. et al. |
| US 6901288 B2 | USPAT | 20050531 | Sealing assembly for | 607/9 | 600/374; 607/122 | Janke; Aaron W. |

-

| | | | intravenous lead | | | et al. |
|---------------|-------|----------|--|------------|--|-----------------------------------|
| US 6895277 B2 | USPAT | 20050517 | Multi-polar connector | 607/37 | 439/527; 439/592; 439/668; 439/874; 607/116; 607/122; 607/132; 607/38 | Westlund; Randy et al. |
| US 6723073 B2 | USPAT | 20040420 | Hemostasis valve for use with a left ventricular pacing lead | 604/167.01 | 604/167.02; 604/167.04; 604/167.06 | Ley; Gregory R. et al. |
| US 6706018 B2 | USPAT | 20040316 | Adjustable length catheter assembly | 604/194 | 604/159 | Westlund; Randy et al. |
| US 6671560 B2 | USPAT | 20031230 | Modified guidewire for left ventricular access lead | 607/116 | 607/119; 607/122 | Westlund; Randy W. et al. |
| US 6643550 B2 | USPAT | 20031104 | Multi-polar connector | 607/37 | 439/527; 439/592; 439/668; 439/874; 607/116; 607/122; 607/132; 607/38 | Westlund; Randy et al. |
| US 6634364 B2 | USPAT | 20031021 | Method of deploying a ventricular lead containing a hemostasis mechanism | 128/898 | 128/899; 600/374; 607/116; 607/122 | Westlund; Randy et al. |
| US 6584363 B2 | USPAT | 20030624 | Implantable lead with dissolvable coating for improved fixation and extraction | 607/126 | | Heil, Jr.; Ronald W. et al. |
| US 6584362 B1 | USPAT | 20030624 | Leads for pacing and/or sensing the | 607/122 | 607/125 | Scheiner; Avram et al. |

| | | | heart from within the coronary veins | | | |
|---------------|-------|----------|--|---------|---------------------------------|-----------------------------------|
| US 6356791 B1 | USPAT | 20020312 | Modified guidewire for left ventricular access lead | 607/115 | 607/119; 607/122; 607/125 | Westlund; Randy W. et al. |
| US 6304786 B1 | USPAT | 20011016 | Implantable lead with dissolvable coating for improved fixation and extraction | 607/126 | 607/120 | Heil, Jr.; Ronald W. et al. |
| US 6240321 B1 | USPAT | 20010529 | Expandable seal for use with medical device and system | 607/122 | 600/374; 607/116 | Janke; Aaron W. et al. |
| US 6178356 B1 | USPAT | 20010123 | Coronary venous lead having fixation mechanism | 607/128 | | Chastain; Stuart A. et al. |
| US 6136021 A | USPAT | 20001024 | Expandable electrode for coronary venous leads | 607/122 | 600/381; 607/119; 607/125 | Tockman; Bruce A. et al. |
| US 6129750 A | USPAT | 20001010 | Fixation mechanism for a coronary venous pacing lead | 607/125 | 600/585; 607/122 | Tockman; Bruce A. et al. |
| US 6122552 A | USPAT | 20000919 | Insertion apparatus for left ventricular access lead | 607/116 | | Tockman; Bruce A. et al. |
| US 6033414 A | USPAT | 20000307 | Torque device for left ventricular lead systems | 606/129 | 607/122 | Tockman; Bruce A. et al. |
| US 5951597 A | USPAT | 19990914 | Coronary sinus lead having expandable matrix anchor | 607/126 | | Westlund; Randy W. et al. |
| US 5935160 A | USPAT | 19990810 | Left ventricular access lead for | 607/122 | | Auricchio; Angelo et |

| | | | _ | heart failure pacing | | | al. |
|--------------|-------|----------|----|---|---------|---------------------------------|-----------------------------------|
| US 5935154 A | USPAT | 19990810 | | Implantable tissue stimulator incorporating deposited multilayer capacitor | 607/36 | 361/313; 607/2 | Westlund; Randy W. |
| US 5931864 A | USPAT | 19990803 | | Coronary venous lead having fixation mechanism | 607/128 | | Chastain; Stuart R. et al. |
| US 5925073 A | USPAT | 19990720 | | Intravenous cardiac lead with wave shaped fixation segment | 607/122 | 607/125; 607/126 | Chastain; Stuart R. et al. |
| US 5836987 A | USPAT | 19981117 | | Apparatus and method for optimizing cardiac performance by determining the optimal timing interval from an accelerometer signal | 607/17 | 607/18 | Baumann; Lawrence S. et al. |
| US 5803928 A | USPAT | 19980908 | | Side access "over the wire" pacing lead | 607/122 | 600/374 | Tockman; Bruce A. et al. |
| US 5755766 A | USPAT | 19980526 | | Open-ended intravenous cardiac lead | 607/122 | 600/381; 607/119; 607/120 | Chastain; Stuart R. et al. |
| US 5755765 A | USPAT | 19980526 | | Pacing lead having detachable positioning member | 607/122 | 607/119; 607/125 | Hyde; Gregory M. et al. |
| US 5749911 A | USPAT | 19980512 | 15 | Implantable tissue stimulator incorporating deposited multilayer | 607/36 | 607/2; 607/5 | Westlund; Randy W. |

.

| | | | capacitor | | | |
|--------------|-------|----------|--|---------|-----------------------------|---------------------------------|
| US 5584868 A | USPAT | 19961217 | Cardiac stimulating apparatus and method for heart failure therapy | 607/17 | | Salo; Rodney W. et al. |
| US 5540727 A | USPAT | 19960730 | Method and apparatus to automatically optimize the pacing mode and pacing cycle parameters of a dual chamber pacemaker | 607/18 | 607/17 | Tockman; Bruce A. et al. |
| US 5487752 A | USPAT | 19960130 | Automated programmable stimulating device to optimize pacing parameters and method | 607/17 | 607/22; 607/23 | Salo; Rodney W. et al. |
| US 5417717 A | USPAT | 19950523 | Implantable cardiac function monitor and stimulator for diagnosis and therapy delivery | 607/18 | 607/23; 607/24; 607/3 | Salo; Rodney W. et al. |
| US 5334222 A | USPAT | 19940802 | Cardiac stimulating apparatus and method for heart failure therapy | 607/17 | 607/23; 607/24 | Salo; Rodney W. et al. |
| US 4899759 A | USPAT | 19900213 | Flow-through resistivity cell | 600/506 | 600/547 | Pederson; Brian D. et al. |

New